

NAME**mtx-update****SYNOPSIS****mtxrun --script update** [*OPTIONS* ...] [*FILENAMES*]**DESCRIPTION****ConTeXt Minimals Updater****OPTIONS**

--platform=string
platform (windows, linux, linux-64, osx-intel, osx-ppc, linux-ppc)

--server=string
repository url (rsync://contextgarden.net)

--module=string
repository url (minimals)

--repository=string
specify version (current, experimental)

--context=string
specify version (current, latest, beta, yyyy.mm.dd)

--rsync=string
rsync binary (rsync)

--texroot=string
installation directory (not guessed for the moment)

--engine=string
tex engine (luatex, pdftex, xetex)

--modules=string
extra modules (can be list or 'all')

--fonts=string
additional fonts (can be list or 'all')

--goodies=string
extra binaries (like scite and texworks)

--force instead of a dryrun, do the real thing

--update
update minimal tree

--make also make formats and generate file databases

--keep don't delete unused or obsolete files

--state update tree using saved state

--cygwin
adapt drive specs to cygwin

--mingw
assume mingw binaries being used

AUTHOR

More information about ConTeXt and the tools that come with it can be found at:

maillist: ntg-context@ntg.nl / <http://www.ntg.nl/mailman/listinfo/ntg-context>

webpage: <http://www.pragma-ade.nl> / <http://tex.aanhet.net>

wiki: <http://contextgarden.net>